

## AMENDMENTS

### In the Claims

AI 1. **(Currently Amended)** A user interface for visually configuring a video call, the user interface comprising:

a video call configuration window having plural icons, each icon representing a video device; and

a directed graph relating the icons to represent the configuration of the video devices in the video call, the directed graph depicting one or more parameters for one or more of the video devices of the video call configuration;

Sub B1 wherein the directed graph relates compatible video devices and prohibits invalid video call configurations.

2. (Original) The user interface of Claim 1 further comprising a video device dialog box operable to add one or more video device types to the video call configuration window.

3. (Original) The user interface of Claim 2 wherein selection of a video device type from the video device dialog box is operable to depict a library of available video devices of the selected video device type.

4. (Original) The user interface of Claim 2 wherein addition of a video device type to a video call implicates one or more additional video devices to establish a valid video call configuration, the user interface further comprising a dialog box that identifies video devices needed for a valid video call configuration.

5. **(Cancelled)**

6. **(Currently Amended)** The user interface of Claim ~~5~~ 1 wherein a parameter comprises the line speed of the video device associated with the directed graph.

7. **(Currently Amended)** The user interface of Claim ~~5~~ 1 wherein a parameter

comprises the protocol of the video device associated with the directed graph.

8. **(Currently Amended)** The user interface of Claim 5 1 wherein a parameter comprises the identification of the video device that initiates communication with one or more other video devices.

9. (Original) The user interface of Claim 1 wherein the directed graph is operable to monitor a video call having the video call configuration by depicting changes in the state of the video call.

10. (Original) The user interface of Claim 9 wherein changes in the state of the video call comprise failure of a video device.

11. (Original) The user interface of Claim 10 wherein failure of a video device is depicted with a red color.

12. (Original) The user interface of Claim 1 further comprising a device list window associated with the video call configuration window, the device list window listing attributes of the video devices represented by the plural icons.

13. **(Currently Amended)** A method for visually configuring a video call with a computer user interface, the method comprising:

selecting a first video device for display as a first graphic by the user interface;  
selecting a second video device for display as a second graphic by the user interface;  
selecting the first graphic to initiate a directed graph arrow originating from the first graphic; **and**

selecting the second graphic to draw the directed graph arrow from the first graphic to the second graphic representing a video call between the first and second video devices;

**determining if a video call between the first and second video devices is a valid action; and**

prohibiting the drawing of a directed graph arrow between the first and second graphics unless the video call between the first and second video devices is a valid action.

14. (Cancelled).

15. **(Currently Amended)** The method of Claim ~~14~~ 13 wherein a video call between the first and second video devices requires configuration through a third video device, the method further comprising:

determining that a video call configuration for a video call between the first and second video devices requires a third video device; and  
presenting a graphic associated with the third video device to allow a valid video configuration using the third video device.

16. (Original) The method of Claim 13 further comprising:  
scheduling a video call according to the video call configuration.

17. (Original) The method of Claim 13 further comprising:  
initiating a video call according to the video call configuration.

18. (Original) The method of Claim 17 further comprising:  
monitoring the video devices of the initiated video call; and  
depicting the state of the monitored video devices through the user interface.

19. **(Currently Amended)** A video network comprising:  
plural video devices;  
a video network platform in communication with the plural video devices;  
a user interface control associated with the video network platform and operable to depict the video devices as graphical icons having a video call configuration represented by a directed graph, the user interface control further operable to determine the validity of a video call configuration.

20. (Cancelled).

21. (Original) The video network of Claim 19 wherein the user interface is further operable to direct the video network platform to initiate a video call according to the video call configuration.